

TUTOR®

HOWE

# PRODUCT DESCRIPTION



DESIGNED BY JOHN BOLLEN 2004

# TUTOR®

Tutor is a high density stacking table for use in education and training establishments where flexibility is key and the maximum utilisation of space is of paramount importance. Developed as a companion table to the renowned 40/4 stacking chair programme, the chair and table provide the ultimate space-saving solution for flexible learning interiors. The table uses the same materials, angles, proportions and mounting principles as the minimalist best-selling 40/4 chair. By combining Tutor and 40/4, you achieve optimal ergonomics, great flexibility and the perfect design combination for your interior.

## DESCRIPTION

Tutor is a high density stacking table for learning environments. Stackable up to 30 tables on dolly. Designed to accompany David Rowland's famous 40/4 chair.

## PRODUCT DETAILS

### TABLETOP

6 mm / 0.24" post-formed compact laminate with black core and ultra-thin coloured laminate on both sides. 6 mm / 0.24" total thickness. A versatile, high performance material with inherent structural solidity for applications demanding damage resistance, hygiene, long-life and minimum maintenance. The tabletop continues down to form a structural modesty panel.

Standard finishes are white and black.

Any compact laminate also available - ask HOWE.

The horizontal part of the tabletop is lowered 1 mm / 0.04" from the top of the steel frame. The vertical part of the tabletop is centred within the steel frame.

### EDGE

Always black natural core edge.

### BASE

The table frame is in sledge design. The steel-tube is Ø14 mm / Ø0.55". Base finish comes in chrome (20-50 µ), black, satin black, white, satin white, Howe grey, or aluminium coloured powder coating (40-100 µ). The front cross steel-tube is Ø12 mm / Ø0.47" with 3 mm / 0.12" steel-pins for fixing of the tabletop.



Frames on two-person tables are strengthened with an extra steel tube inlay in the front part of the table frame. The horizontal part of the tabletop is mounted on four steel mounting plates. A crossstretcher in folded steel ensures the stability of the table.

#### GLIDES

4 glides in transparent polycarbonate (PC) are mounted on the frame. Moulded felt on glides optional for extra floor protection.

## STACKING CAPACITY

Up to 30 tables can be stacked on dolly. The tables stacking height is 1660 mm / 65.4". Up to 10 tables can be stacked on floor in a height of 905 mm / 35.6".

## DIMENSIONS AND WEIGHT

#### DIMENSIONS

The height of the table is 720 mm / 28.3".

The width of top is either 600 mm / 23.6" (one-person), 1200 mm / 47.2" (two-person; side chairs) or 1390 mm / 54.7" (two-person; armchairs and swivel chairs).

Total width is either 670 mm / 26.4" (one-person), 1270 mm / 50" (two-person; side chairs) or 1460 mm / 57.5" (two-person; armchairs and swivel chairs).

Total depth: 665 mm / 26.2".

Depth of top: 500 mm / 19.7".

30 one-person tables stacked on dolly:

Height: 1660 mm / 65.4", Width: 710 mm / 28",

Depth: 1000 mm / 39.4".

30 two-person tables for side chairs stacked on dolly:

Height: 1660 mm / 65.4", Width: 1310 mm / 51.6",

Depth: 1000 mm / 39.4".

30 two-person tables for armchairs and swivel chairs

stacked on dolly: Height: 1660 mm / 65.4", Width:

1495 mm / 58.9", Depth: 1000 mm / 39.4".

The dolly including 30 one-person tables takes up

0,71 m<sup>2</sup> / 7.63 sq. ft. floor space.

The dolly including 30 two-person tables for side

chairs takes up 1,31 m<sup>2</sup> / 14.1 sq. ft. floor space.


The dolly including 30 two-person tables for armchairs and swivel chairs takes up 1,5 m<sup>2</sup> / 16.2 sq. ft. floor space.

#### WEIGHT

One-person table with chrome frame weighs 8 kg / 17.6 lb.

Two-person table for side chairs with chrome frame weighs 12,7 kg / 28 lb.

Two-person table for armchair and swivel chairs with chrome frame weighs 14,8 kg / 30.9 lb.



## ACCESSORIES

TRANSPORT DOLLY in Howe grey powdercoating. Capacity of 30 tables. Dolly dimensions 800 x 710 mm / 31.5" x 28" for one-person tables, 800 x 1310 mm / 31.5" x 51.6" for two-person tables for side chairs and 800 x 1500 mm / 31.5" x 59.1" for two-person tables for armchairs and swivel chairs.

LINKING DEVICE in black POM link table frames at floor level.

## ERGONOMICS & ENVIRONMENT

The waterfall curved tabletop design does not restrict blood circulation and so prevents undue pressure under the lower arms. The stacking of the tables is ergonomically correct - the tables only require a low lift to slide from front.

The tabletops and frames are produced according to ISO14001 standards. All parts of the table can be dismantled and recycled.

## TESTS

The table is designed for severe contract use and has been subject to a variety of tests to ensure its highest quality and durability. The furniture is tested by thirdparty organizations and passed testing according to the required EN and BIFMA standards.

All the certificates are available for access and download [here](#).

## WARRANTIES

HOWE a/s gives a 5 years guarantee on all Tutor tables against weld breakages, defective material, workmanship and performance under normal use.

For full information please see the warranty provision on [howe.com](http://howe.com)

## AWARDS

Tutor won an AIT Innovation Award at Orgatec, Cologne in 2006 in the category "Produkte von hoher architektonischer Qualität".

